


Triga Horizontal

METALLIC GREY // 1700 — 580 // 50 mm connection valve + “Noble” thermostatic head // ZIP hanger

LUX







Radiator available in the following heights: 900, 1300 and 1700



Standard connections:




Sizes available:




A	B	C	C'	C''	C'''	$\frac{75^\circ}{65^\circ}{20^\circ}$	$\frac{55^\circ}{45^\circ}{20^\circ}$		D	E	F		
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[W]	[W]	[W]	[mm]	[mm]	[mm]	[dm³]	[Kg]
900	380	50	350	840	380	459	242	400	350	720	90	7,3	12,0
900	480	50	450	840	480	580	306	600	450	720	90	9,1	15,0
900	580	50	550	840	580	701	370	800	550	720	90	10,9	18,1
900	680	50	650	840	680	821	433	800	650	720	90	12,8	21,1
1300	380	50	350	1240	380	652	339	600	350	1120	90	10,5	16,9
1300	480	50	450	1240	480	824	429	800	450	1120	90	13,1	21,2
1300	580	50	550	1240	580	996	518	1000	550	1120	90	15,7	25,4
1300	680	50	650	1240	680	1168	608	1200	650	1120	90	18,3	29,7
1700	380	50	350	1640	380	850	437	800	350	1520	90	13,7	21,8
1700	480	50	450	1640	480	1074	552	1000	450	1520	90	17,1	27,3
1700	580	50	550	1640	580	1298	667	1200	550	1520	90	20,5	32,8
1700	680	50	650	1640	680	1521	781	1500	650	1520	90	23,9	38,3

Radiator available in the following heights: 900, 1300 and 1700


P2




ZX




Z1




SX




Z8




YL




Y1



YP



Y8



Radiator Collector

Profile

